

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S178	2	("5835755" "6243361").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 13:55
S179	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 13:58
S180	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and (plural\$4 multiple several "more than one") with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 13:59
S181	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 14:01
S182	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and (plural\$4 multiple several "more than one") with (data\$base server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 10:32
S183	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 14:05
S184	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:55
S185	1	S180 and S184	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 14:01
S186	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base and (query queries request\$4) with data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 14:13
S187	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base and (query queries request\$4) with data\$base and data\$base with control\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 14:14
S188	1	"1" and S178 and S179 and S180 and S181 and S182 and S183 and S184 and S185 and S186	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 14:46

S189	1	"1" and S178 and S179 and S180 and S181 and S182 and S183 and S184 and S185 and S186 and quer\$4 with (manag\$4 coordinat\$4 control\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S190	4	("20020152222" "20020138487" "6654813" "6243361").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:47
S191	2	("5835755" "6243361").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S192	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S193	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and (plural\$4 multiple several "more than one") with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S194	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S195	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and (plural\$4 multiple several "more than one") with (data\$base server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S196	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S197	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S198	1	S193 and S197	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S199	2	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base and (query queries request\$4) with data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48

S20 0	1	"1" and S191 and S192 and S193 and S194 and S195 and S196 and S197 and S198 and S199 and quer\$4 with (manag\$4 coordinat\$4 control\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:48
S20 1	1	"1" and S191 and S192 and S193 and S194 and S195 and S196 and S197 and S198 and S199 and quer\$4 with (manag\$4 coordinat\$4 control\$4) and receiv\$4 with (data information) and stor\$4 with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:49
S20 2	25010	(receiv\$4 retriev\$4) with (information data) and (stor\$4) with (data information) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:56
S20 3	6538	(receiv\$4 retriev\$4) with (information data) and (stor\$4) with (data information) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information) and (data information) with characteristic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:57
S20 4	3933	(receiv\$4 retriev\$4) with (information data) and (stor\$4) with (data information) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information) and (data information) with characteristic and (plural\$4 multiple) with (data\$base server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:58
S20 5	3706	receiv\$4 with (information data) and (stor\$4) with (data information) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information) and (data information) with characteristic and (plural\$4 multiple) with (data\$base server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:58
S20 6	2250	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and (data) with characteristic and (plural\$4 multiple) with (data\$base server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 18:59

S20 7	336	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:00
S20 8	119	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:01
S20 9	119	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:01
S21 0	20	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server)not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:01
S21 1	20	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:03

S21 2	1	receiv\$4 with (data) and (stor\$4) with (data) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) with number not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:02
S21 3	20	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:04
S21 4	3	"707"/\$.ccls. and receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:05
S21 5	1	"707"/\$.ccls. and receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) adj (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:06
S21 6	1	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) adj (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:07

S21 7	20	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 07:56
S21 8	1	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) with number not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/01 19:08
S21 9	6	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) and stor\$4 with (divid\$4 patrition\$4 separat\$4 "broken up") with data not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 08:39
S22 0	3	partition\$4 and receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) and stor\$4 with (divid\$4 patrition\$4 separat\$4 "broken up") with data not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 08:19

S22 1	5	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) with (characteristic type category) and receiv\$4 with (data) with characteristic and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) and stor\$4 with (divid\$4 patrition\$4 separat\$4 "broken up") with data not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 08:43
S22 2	95	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) same (characteristic type category) and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) and stor\$4 with (divid\$4 patrition\$4 separat\$4 "broken up") with data not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 08:45
S22 3	17	receiv\$4 with (data) with (stor\$4) and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data) same (characteristic type category) and (plural\$4 multiple) with (data\$base server) and data\$base with quer\$4 and (reduc\$4 decreas\$4 lessen\$4) with (data\$base server) with number and stor\$4 with (divid\$4 patrition\$4 separat\$4 "broken up") with data not ncr.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 08:45
S22 4	0	"data to be stored"	USPAT; EPO; JPO	OR	ON	2004/12/02 09:15
S22 5	0	"data to be stored"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:15
S22 6	4	"data to be"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:16

S22 7	15575	receiv\$4 near data near stor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:17
S22 8	743	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:18
S22 9	210	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:24
S23 0	9	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) with data and partition\$4 near data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:19
S23 1	9	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) near data and partition\$4 near data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:19
S23 2	72	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) near data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:26
S23 3	6	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) near data and stor\$4 near (divid\$4 partition\$4 "broken") near data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 09:34
S23 4	33	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) near data and stor\$4 with (divid\$4 partition\$4 "broken") with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 10:25

S23 6	4	receiv\$4 near data near stor\$4 and receiv\$4 near (information type category characteristic) near data and (divid\$4 break\$up partition\$4) near data and stor\$4 with (divid\$4 partition\$4 "broken") with data and (multipl\$4 plural\$4 various) with (server data\$base)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 11:49
S23 7	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and (plural\$4 multiple several "more than one") with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 10:33
S23 8	1	("5835755" "6243361").pn. and (receiv\$4 retriev\$4) with data and server and data\$base and (divid\$4 partition\$4 separat\$4 break\$up) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 10:33
S23 9	1	S237 and S238	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 10:33
S24 0	1	("6029141" "66313725983227").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 11:49
S24 1	1	("6029141" "6631372 5983227").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 11:50
S24 2	3	("6029141" "6631372" "5983227").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 11:50
S24 3	71	yahoo.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:38
S24 4	3	yahoo.as. and (plural\$4 multiple various) with (storage data\$base disk drive) with (multiple various plural\$4) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:41
S24 5	3	yahoo.as. and (plural\$4 multiple various) with (storage module data\$base disk drive) with (multiple various plural\$4) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:42

S24 6	4	yahoo.as. and (plural\$4 multiple group various) with (storage module data\$base disk drive) with (multiple various group plural\$4) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:43
S24 7	5	yahoo.as. and (plural\$4 multiple group various) with (storage module data\$base disk drive) same (multiple various group plural\$4) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:45
S24 8	14	yahoo.as. and (plural\$4 multiple group various) same (storage module data\$base disk drive) same (multiple various group plural\$4) same server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:56
S24 9	14	yahoo.as. and (plural\$4 multiple group various) same (storage module data\$base disk drive) same server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:57
S25 0	15	yahoo.as. and (plural\$4 multiple group various) same (storage module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 16:58
S25 1	18	yahoo.as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:01
S25 2	26	(google amazon yahoo).as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:06
S25 3	8	S252 not S251	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:01
S25 4	26	(google froogle amazon yahoo).as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:06
S25 5	1	lycos.as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:07
S25 6	0	aol.as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:08

S25 7	21	america adj on\$line.as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:12
S25 8	9	america adj on\$line.as. and (plural\$4 multiple group various) same (stor\$6 module data\$base disk drive) same (machine server client) and data\$base with relational	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:13
S25 9	785	data\$base with parallel and data\$base with relational	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:27
S26 0	228	data\$base with parallel and data\$base with relational and data\$base with partition\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:30
S26 1	0	yahoo.as. and data\$base with parallel and data\$base with relational and data\$base with partition\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:28
S26 2	0	yahoo.as. and data\$base with parallel and data\$base with relational and data\$base with (partition\$4 divid\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:28
S26 3	0	yahoo.as. and data\$base with parallel and data\$base with relational	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:29
S26 4	0	yahoo.as. and data\$base with parallel and ((data\$base with relational) rdbms)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:31
S26 5	178	data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:32
S26 6	0	yahoo.as. and parallel and ((data\$base with relational) rdbms)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:31
S26 7	0	googl1.as. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:32

S26 8	0	googl1.as. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:32
S26 9	0	google.as. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:32
S27 0	0	amazon.as. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:32
S27 1	0	lycos.as. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:32
S27 2	124	"707"/\$.ccls. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:33
S27 3	48	"707"/\$.ccls. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server and (plural multiple) with storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:33
S27 4	22	"707"/\$.ccls. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server and (plural multiple) with (server and storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:34
S27 5	22	"707"/\$.ccls. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server and (plural multiple) with (server and storage) and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:37
S27 6	3	"707"/\$.ccls. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and server and (plural multiple) with server with storage and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:36
S27 7	3	"707"/\$.ccls. and data\$base with parallel and data\$base with relational and data\$base with partition\$4 and (plural multiple) with server with storage and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/02 17:36

S27 8	5	"707"/\$.ccls. and data\$base near parallel and data\$base near relational and data\$base near partition\$4 and (plural multiple) with (server and storage) and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:34
S28 2	0	receiv\$4 with (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and defin\$4 with straight\$line with segment	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:38
S28 3	2307	receiv\$4 with (information data) with ("average value" "uniform distribution" "minimum value" "maximum value")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:39
S28 4	408	receiv\$4 adj (information data) with ("average value" "uniform distribution" "minimum value" "maximum value")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:39
S28 5	659	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:39
S28 6	2	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and straight\$line	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:40
S28 7	14	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line line adj segment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:40
S28 8	14	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:48
S28 9	0	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and break\$point	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:41
S29 0	0	data\$base and receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:42

S29 1	14	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:55
S29 2	0	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") with (straight\$line (line adj segment)) and (break point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:56
S29 3	0	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") same (straight\$line (line adj segment)) and (break point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:56
S29 4	14	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:20
S29 5	0	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point) and partition\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:57
S29 6	12	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point) and divid\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:02
S29 7	7	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point) and (break\$4 divid\$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:58
S29 8	5	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point) and (break\$4 divid\$4) with (data information) and defin\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:58

S29 9	5	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value") and (straight\$line (line adj segment)) and (break point) and (break\$4 divid\$4) with (data information) and defin\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:58
S30 0	48	receiv\$4 near (information data) with ("average value" "uniform distribution" "minimum value" "maximum value" boundary) and (straight\$line (line adj segment)) and (break point) and divid\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:03
S30 1	36	S300 not S294	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:03
S30 2	8	S300 not S294 and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:03
S30 3	0	S300 not S294 and data\$base and partition	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:03
S30 4	5	(defin\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:22
S30 5	0	(defin\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point) and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:22
S30 6	3	(defin\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point) and storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:27
S30 7	0	(defin\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:28
S30 8	1	(defin\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information image)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:30

S309	2	(defin\$4 draw\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information image)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:30
S310	4	(defin\$4 identif\$4 draw\$4 establish\$4) near (straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information image)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:34
S311	64	(straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:35
S312	50	(straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:35
S313	31	(straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information) and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:38
S314	5	(straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information) and data\$base and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:41
S315	1	(straight\$line (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information) and data\$base and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:37
S316	22	(straight\$line adj segment (line adj segment)) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information) and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:41
S317	270	(line (straight\$line) adj segment) and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information) and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:43

S31 8	22	(line straight\$line) adj segment and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information) and data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:43
S31 9	40	(line straight\$line) adj segment and (break\$point) and (partition\$4 divid\$4 break\$4) with (data information) and receiv\$4 with (data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 11:44